







### Product features:

- Metal & ABS construction
- Quarter turn handle action for precise flow control
- Custom designed for lower range pressures
- Fixed spout to prevent accidental water damage
- · Single spray pattern showerhead


Packaged properties:

Box length (mm): 305 Box depth(mm): 155
Box width(mm): 235 Boxed weight (Kg): 6.0

Includes pop up waste?: No Additional comments:

ABS showerhead, push fit handles, compression divertor

### **Product dimensions:**



• Product mounted where: Surface

• **Recommended hole size:** Ø 32, 36, 32, 28, 42 mm

• Overall Height / projection: 229 mm • Exit reach: 139 mm • Exit height: 116 mm

• Base size: 55, 60, 55, 55, 50 mm


• Inlet centre distance(s): 100 - 150 mm

Min. fitting depth required:

• Max. surface depth:

25 mm

# **Product flow characteristics:**



- Min / Max water pressure (bar): 0.30\* / 5.00
  \*Detailed minimum pressure requirements for this product: Bath 0.3, Shower 0.75 (bar)
- Part G max. mixed flow rate at 3 bar (I/m): bath=33.3, shower=16.5
- Inlet connection type / length: Fixed / mm
- ullet Inlet (plumbing connection) / outlet size: 3/4" M /
- Product flow characteristics: Single flow Non return valve(s) supplied or position:
- · Aerator type: Grey flow straightener
- Control valve type: 3/4" QT CD (8-20)
- Includes output diverter?: Yes
- Inlet meshed particle filters included:
- Shower hose type / length: Metal linked / 2.00 m

## Warranty Summary (full details available on request):

- Materials and workmanship defects warranted for 5 years
- Valves and working parts warranted for 5 years
- Surface warranty defects warranted for 1 year
   O-rings, hoses & gaskets warranted for 1 year

### Care instructions:

- Clean the mixers and showers regularly as required, using soap, do not use any other cleaners.
- Regular cleaning will prevent the build up of lime scale and dirt
- After cleaning rinse thoroughly with clean water to remove any cleaner residue
- Residues of liquid soaps, shampoos and shower foams can also cause damage, so rinse with clean water after using, avoid contact with any abrasives