Tanto







#### Product features:


- Metal & ABS construction
- Quarter turn handle action for precise flow control
- Supplied with fixed 3/4" inlets for maximum stability and flow
- · A modern design classic style
- 1/4 turn lock on divertor to main showerhead

Packaged properties:

Box length (mm): 235 Box depth(mm): 210 Box width(mm): 215 Boxed weight (Kg): 4.2 Includes pop up waste?: No **Additional comments:** 

ABS showerhead

# **Product dimensions:**




• Product mounted where: Surface • Recommended hole size: 35 mm

 Overall Height / projection: 137 mm • Exit reach: 127 mm • Exit height: 59 mm • Base size: 55 mm

• Inlet centre distance(s): 180 mm

· Min. fitting depth required: 0 mm · Max. surface depth: 30 mm

## **Product flow characteristics:**



- Min / Max water pressure (bar): 0.50\* / 5.50 \*Detailed minimum pressure requirements for this product: Bath 0.4, Shower 0.5 (bar)
- Part G max. mixed flow rate at 3 bar (I/m): 28.03
- Inlet connection type / length: Fixed / 53 mm
- Inlet (plumbing connection) / outlet size: 3/4" M / N/A
- Product flow characteristics: Single flow Non return valve(s) supplied or position: No
- Aerator type: Flow straightener
- Control valve type: 3/4 QT CD (8-20) • Includes output diverter?: Yes
- Inlet meshed particle filters included: No
- Shower hose type / length: Smoothflex / 1.50 m

### Warranty Summary (full details available on request):

- Materials and workmanship defects warranted for 5 years
- Valves and working parts warranted for 5 years
- Surface warranty defects warranted for 1 year
- O-rings, hoses & gaskets warranted for 1 year

#### Care instructions:

- Clean the mixers and showers regularly as required, using soap, do not use any other cleaners.
- Regular cleaning will prevent the build up of lime scale and dirt
- After cleaning rinse thoroughly with clean water to remove any cleaner residue
- Residues of liquid soaps, shampoos and shower foams can also cause damage, so rinse with clean water after using, avoid contact with any abrasives